

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	75	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same (fax or facsimile) same (receiv\$5 or transmi\$7 or send\$5)) not (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:06
S2	0	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same (fax or facsimile) same (receiv\$5 or transmi\$7 or send\$5)) and (non\$3mail or non\$3email or non\$3e-mail or non\$3electronic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:07
S3	0	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same (fax or facsimile) same (receiv\$5 or transmi\$7 or send\$5)) and (non\$3mail or non\$3email or non\$3e-mail or non\$3electronic or (non adj4 (mail or email or e-mail)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:07
S4	11	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same (fax or facsimile) same (receiv\$5 or transmi\$7 or send\$5)) and (without with (mail or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:08
S5	10	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same (fax or facsimile) same ((g3 or g4 or ITU\$3 or fax or facsimile or "181") with protocol) same (receiv\$5 or transmi\$7 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:14
S6	10	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same ((g3 or g4 or ITU\$3 or fax or facsimile or "181") with protocol) same (receiv\$5 or transmi\$7 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:14
S7	221	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) same ((g3 or g4 or ITU\$3 or fax or facsimile or "181") ) same (receiv\$5 or transmi\$7 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:15
S8	132	{(yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3pg or (y near3 cb near3 cr)) with (receiv\$5 or transmi\$7 or send\$5) same ((g3 or g4 or ITU\$3 or fax or facsimile or "181") ) }	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:16
S9	118	S8 not (smtp or mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:16

S10	32	\$9 and (yuv or ycc or ycbcr or sycc or sycc\$3 peg or sycc\$3 pg or (y near3 cb near3 cr)) same (size or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:18
S11	25	\$9 and (yuv or ycc or ycbcr or sycc or sycc\$3 peg or sycc\$3 pg or (y near3 cb near3 cr)) same (size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:18
S12	9	\$8 and (yuv or ycc or ycbcr or sycc or sycc\$3 peg or sycc\$3 pg or (y near3 cb near3 cr)) same (without with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 18:21
S13	2	{(yuv or ycc or ycbcr or sycc or sycc\$3 peg or sycc\$3 pg or (y near3 cb near3 cr)) with directly with (receiv\$5 or transmi\$7 or send\$5) same ((g3 or g4 or ITU\$3 or fax or facsimile or "1.81" ) ) }	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 09:25
S14	3	{(yuv or ycc or ycbcr or sycc or sycc\$3 peg or sycc\$3 pg or (y near3 cb near3 cr)) with (without near4 (conver\$5 or transform\$5)) with (receiv\$5 or transmi\$7 or send\$5) same ((g3 or g4 or ITU\$3 or fax or facsimile or "1.81" ) ) }	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 09:26
S15	4	{(yuv or ycc or ycbcr or sycc or sycc\$3 peg or sycc\$3 pg or (y near3 cb near3 cr)) with (receiv\$5 or transmi\$7 or send\$5) same {without near4 (conver\$5 or transform\$5)) same ((g3 or g4 or ITU\$3 or fax or facsimile or "1.81" ) ) }	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 09:27
S16	5	*658013* ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:03
S17	18	{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receive\$5) with (first adj5 space)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:19
S18	44	{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receive\$5) same (first adj5 space)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:19
S19	11	{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receive\$5) same (second adj5 space)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:20

S20	2	memberu and ycbor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:23
S21	371	{{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receive\$5) same ((clab or cie\$3lab or lab or "L*a*b*" or "L*"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:25
S22	54	{{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receive\$5) same ((first or second or alternat\$5 or third) ad\$5 space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:26
S23	41	S22 not ((clab or cie\$3lab or lab or "L*a*b*" or "L*"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:26
S24	2	S23 and (size same dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:27
S25	21	S23 and (size with (set\$5 or assign\$7 or designat\$5 or select\$5 or choos\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:27
S26	2	S23 and (size same without same (set\$5 or assign\$7 or designat\$5 or select\$5 or choos\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:28
S27	144	{{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receive\$5) same (((first or second or alternat\$5 or third) ad\$5 space) or (yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 or)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:32
S28	64	S21 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:32
S29	6	S28 and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5)) same (((first or second or alternat\$5 or third) ad\$5 space) or (yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 or)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:35

S30	5	S28 and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5)) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:44
S31	2	"7277197".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:45
S32	10	{"20010054075"   "20030020960"   "4814894"   "5485282"   "5847847"   "6105042"   "6278529"   "6744535"   "7092113"   "7106475"}.PN. OR ("7277197").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/08 10:45
S33	0	S32 and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5)) same (((first or second or alternat\$5 or third) adj5 space) or (yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3jpg or (y near3 cb near3 cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:45
S34	0	S32 and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5)) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:46
S35	3	S32 and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:46
S36	97	{S21 or S27) and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:01
S37	9	{S21 or S27) and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5)) same (((first or second or alternat\$5 or third) adj5 space) or (yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3jpg or (y near3 cb near3 cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:02
S38	5	{S21 or S27) and (size with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5)) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:03
S39	98	{(fax or facsimile) with (transmi\$7 or send\$5 or transfer\$5 or deliver\$5 or receiv\$5) same (yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3jpg or (y near3 cb near3 cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:12
S40	73	S39 not (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:13

S41	8	S40 and (size same dos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:14
S42	88	S39 not (internet or mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:14
S43	18	S42 and (size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:14
S44	2	S42 and (size with (indefinite or undefined or non\$regular or non\$standard or unlimited) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:38
S45	159	((fax or facsimile) same (yuv or ycc or ycbcr or sycc or sycc\$jpeg or sycc\$jpg or (y near3 db near3 or)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:39
S46	89	S45 not (internet or mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:39
S47	2	S46 and (size with (indefinite or undefined or non\$regular or non\$standard or unlimited) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:39
S48	4	S46 and (size with (non or indefinite or undefined or non\$regular or non\$standard or unlimited) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:39
S49	4	S45 and (size with (indefinite or undefined or non\$regular or non\$standard or unlimited) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:41
S50	110486	((fax or facsimile) same (transmit\$7 or send\$5 or deliver\$5 or receive\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:46

S51	0	S50 and (size with (indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 cr))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:46
S52	4	S50 and (size with (indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same3 (yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 cr))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:46
S53	5	S50 and (size same (indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same3 (yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 cr))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:55
S54	7	S45 and (size same (indefinite or undefined or non\$3regular or non\$3standard or unlimited) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:56
S55	5	S50 and ((number near3 pixel) with (indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same3 (yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 cr))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:57
S56	2	S45 and ((number near3 pixel) same (indefinite or undefined or non\$3regular or non\$3standard or unlimited) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 11:58
S57	2	*791710*.pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:18
S58	6	*709211*.pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:20
S59	2	*7092113*.pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:20
S60	0	*791710*.pn with (gray\$8 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:26

S61	0	*6791710*.pn. with (gray\$8 same color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:26
S62	0	*6791710*.pn. with (gray\$8 same3 color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:26
S63	0	*6791710*.pn. with (gray\$8 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:27
S64	1	*6791710*.pn. and (gray\$8 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:27
S65	1	*6791710*.pn. and (gray\$8 with color) same ycbcr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 14:27
S66	1	*7092113*.pn. and (set\$5 with indefinite)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:14
S67	1	*7092113*.pn. and (sof0 with indefinite)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:15
S68	1	*7092113*.pn. and (sof0 with set\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:16
S69	1	*7092113*.pn. and (count with indefinite)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:18
S70	1	*7092113*.pn. and sof0	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:18

S71	1	7092113".pn. and (without with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:22
S72	1	7092113".pn. and (without)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:22
S73	159	:(fax or facsimile) same (yuv or ycc or ycbcr or sycc or sycc\$jpeg or sycc\$jpg or (y near3 cb near3 cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:27
S74	2	\$73 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L**")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:27
S75	110486	:(fax or facsimile) same (transmit\$7 or send\$5 or deliver\$5 or receive\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:27
S76	7	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L**")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:27
S77	48	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L**")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:31
S78	49	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L**")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:31
S79	8	\$78 and "358".clas	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:31
S80	14	\$78 and (color adj4 space) same (cielab or cie\$3lab or lab or "L*a*b*" or "L**")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:34



S81	1	*7092113*.pn. and size same (dis or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 15:55
S82	1	*7092113*.pn. and size same (standard or indefinite\$6) same (dis or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 15:57
S83	1	*7092113*.pn. and size same (standard or indefinite\$6) same (dis or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 15:58
S84	1	*7092113*.pn. and size same (standard or indefinite\$6) same (dis or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 15:58
S85	1	*7092113*.pn. and (standard or indefinite\$6) with (dis or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 15:59
S86	1	*7092113*.pn. and (standard or indefinite\$6 or a4) with (dis or dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 15:59
S87	1	*7092113*.pn. and (standard or indefinite\$6 or a4 or size) with (dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:00
S88	2	*7277197*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:01
S89	2	*20020089702*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:04
S90	2	*7277197*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:05

S91	1	7092113".pn. and (dcs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:07
S92	10	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) with (invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:19
S93	12	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) with (invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same ((yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3jpg or (y near3 cb near3 cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:20
S94	25281	3581.2,1.6,1.15,1.16,500,501,505,523,524,528,400,434,435,436,438,439,449,451,468,474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:24
S95	4	{S92 or S93} and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:24
S96	16	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) with (without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:26
S97	18	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) with (skip\$5 or without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:26
S98	26	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) with (skip\$5 or without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same ((yuv or ycc or ycbcr or sycc or sycc\$3peg or sycc\$3jpg or (y near3 cb near3 cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:26
S99	9	{S97 or S98} and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:26
S100	8	S99 not (mail or email or e\$3mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:28

S101	6	\$99 not (internet or mail or email or e\$3mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:28
S102	6	\$99 not (itax or i\$3tax or internet or mail or email or e\$3mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:28
S103	11	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) with (skip\$5 or without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same ((first or second) adj4 space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:28
S104	6	S103 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:29
S105	112	osamu near3 kimoto).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:30
S106	3	\$97 or \$98 or S103) and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:31
S107	3	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (skip\$5 or without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same (cielab or cie\$3lab or lab or "L*a*b*" or "L*"). c1m.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:33
S108	5	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (skip\$5 or without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same ((yuv or ycc or ycbcr or sycc or sycc\$3jpeg or sycc\$3jpg or (y near3 cb near3 cr))) c1m.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:34
S109	2	\$75 and (((number near3 pixel) or (dimension or length or width) or siz\$3) same (skip\$5 or without or ignor\$5 or omitted or omitting or omit or omitted or omission or (left near4 blank) or default or untouch\$5 or invalid or default or blank or empty or non or indefinite or undefined or non\$3regular or non\$3standard or unlimited) ) same ((first or second) adj4 space) c1m.	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:34
S110	6	S107 or S108 or S109) and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/01/08 16:35

S111	6	S110 not ((mail or email or e\$3mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:39
S112	4	S110 and ((transm\$7 or send\$5 or transfer\$5).cnn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 16:42

1/9/09 11:27:50 AM

C:\Documents and Settings\lbenberu\My Documents\EAST\Workspaces\10658013.010709.wsp